XVS96BMWP

Electronic alarm, Harmony XVS, white, PNP, mounting support DIN 96, 0...96 dB, 16 tones, 4 channels, 12...24 V DC



Main	
Range of Product	Harmony XVS
Product or Component Type	Electronic alarm
Device short name	XVS

Complementary

Complementary		
Color	White	
Material	PC (polycarbonate) terminal cover PC (polycarbonate)/ABS (acrylonitrile butadiene-styrene) body	
Net Weight	0.88 lb(US) (0.4 kg)	
Marking	CE	
Overvoltage category	Class II EN/IEC 61140	
Mounting Support	96 mm DIN rail	
[Us] rated supply voltage	1224 V DC	
[Uimp] rated impulse withstand voltage	0.8 kV	
Current consumption	250 mA 12 V 292 mA 12 V 292 mA 24 V 354 mA 24 V	
Clamping connection capacity	<= 1 x 1.5 mm²	
Width	3.78 in (96 mm)	
Height	3.78 in (96 mm)	
Depth	2.29 in (58.1 mm)	

Environment

Discrete output type	PNP	
Signalling type	16 tones alarm	
Standards	EN/IEC 60947-5-1 EN/IEC 60947-1	
Protective treatment	TC	
Ambient Air Temperature for Storage	-31158 °F (-3570 °C)	
Ambient air temperature for operation	-4122 °F (-2050 °C)	
IP degree of protection	Panel mounted IP54 EN/IEC 60529	
Noise level	096 dB continuous or intermittent tone)1 m	

Ordering and shipping details

Category	22617 - XVC TOWER LIGHTS	
Discount Schedule	XV	
GTIN	3606480072000	
Nbr. of units in pkg.	1	
Package weight(Lbs)	18.80 oz (533 g)	
Returnability	No	
Country of origin	JP	

Packing Units

•	
Unit Type of Package 1	PCE
Package 1 Height	5.31 in (13.5 cm)
Package 1 width	5.51 in (14 cm)
Package 1 Length	5.51 in (14 cm)
Unit Type of Package 2	S04
Number of Units in Package 2	16
Package 2 Weight	21.24 lb(US) (9.634 kg)
Package 2 Height	11.81 in (30 cm)
Package 2 width	15.75 in (40 cm)
Package 2 Length	23.62 in (60 cm)

Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Regulation	REACh Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EVEN RoHS
Mercury free	Yes
RoHS exemption information	€Yes
China RoHS Regulation	China RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End Of Life Information

Contractual warranty

Warranty	18 months

Product data sheet Dimensions Drawings

XVS96BMWP

Electronic Alarm

Dimensions

