#### HIROSE ELECTRIC CO., LTD.

5-23, OSAKI 5-CHOME, SHINAGAWA-KU, TOKYO, JAPAN

### **Product Change Notification**

We are writing today to inform you that we will make some changes as shown in the subject for the reason described below.

We request that you kindly offer your consent to this matter.

1	Products affected	GT17HN※-4DP-2H(※)(30) Please refer to Attachment1 for details.
2	Replacement product	No change in product code and product name.
3	Classification of change	Packaging specification change
4	Changes	This is to change the pocket shape of embossed carrier tape. (Pocket shape: No reinforcement rib→With reinforcement rib) Please refer to Attachment 2 for details. These changes will not affect the performances of the products.
5	Reason for change	To improve the quality for increasing strength of embossed carrier tape pocket
6	Timing of change	We are going to change from June 1, 2018.
7	Date of your acknowledgement	By May 31, 2018

We kindly request that you inform Hirose business representative of your acknowledgement by the aforesaid date.

In the absence of a response by this date, please be advised that replacement product that described above will be delivered.

If you should have any questions, please feel free to contact a Hirose business representative. Your understanding and cooperation are highly appreciated.

## ■Product List Business430-18015\_Packaging Specification Change of GT17HN※-4DP-2H(※)(30)

No.	Current Product		Replacement product		Notes	
	Product code	Product name	Product code	Product name	Before change	After change
1	767-0175-0-81	GT17HN-4DP-2H(B)(30)	No change in product code and product name.		No reinforcement rib	With reinforcement rib
2	767-0276-7-81	GT17HN-4DP-2H(D)(30)			No reinforcement rib	With reinforcement rib
3	767-0144-6-81	GT17HN-4DP-2H(A)(30)			No reinforcement rib	With reinforcement rib
4	767-0267-6-81	GT17HN2-4DP-2H(A)(30)			No reinforcement rib	With reinforcement rib
5	767-0176-2-81	GT17HN-4DP-2H(C)(30)			No reinforcement rib	With reinforcement rib
6	767-0294-9-81	GT17HN2-4DP-2H(B)(30)			No reinforcement rib	With reinforcement rib

This is to change pocket shape to improve the quality for increasing strength of embossed carrier tape. Material of embossed carrier tape will not be changed, but color will become slightly translucent.

<Before change> <After change> No reinforcement rib With reinforcement rib 0 0 6 Q ..... Ch. Color: Transparent Color: Translucent

Comparative evaluation test of peeling strength was conducted with the below condition.

- Specification : 0.1 ~ 1.3N
- Temperature setting:160°C

# <Before Change>

<After Change>

	Peeling Strength	
Early stage	0.24~0.45N	
After 24 hours	0.26~0.65N	

		Peeling Strength
	Early stage	0.18~0.51N
	After 24 hours	0.24~0.64N

Business 430-18015 2018

### **Acknowledgement**

(Customer  $\rightarrow$  Hirose Electric business representative)

## Product Change Notification Request for Your Acknowledgement

We acknowledge the aforementioned matter.

Customer's name:

Acknowledgement stamp (or signature):

\_\_\_\_

HIROSE ELECTRIC CO., LTD.

(Cut on this line)

Business 430-18015 2018

**Document Receipt** 

(Customer  $\rightarrow$  Hirose Electric business representative)

# Product Change Notification Request for Your Acknowledgement

We received the document concerning the above.

Customer's name:

Acknowledgment stamp (or signature):

HIROSE ELECTRIC CO., LTD.